LITERATURE ON AMERICAN BULLFROGS *Rana catesbeiana* FROM COUNTRIES OUTSIDE OF EUROPE

List of articles on ecology of bullfrogs and their impacts to other species

This list was compiled by P. Veenvliet and J. Kus Veenvliet in the framework of the project »Study of application of EU wildlife trade regulations in relation to species which form an ecological threat to EU fauna and flora«, which was carried out by Amphi Consult, Denmark for the European Commission, DG Environment.

Adams, M. J. (1999). Correlated factors in amphibian decline: exotic species and habitat change in Western Washington. Journal of Wildlife Management. 63(4): 1162-1171.

Adams, M.J. (2000). Pond permanence and the effects of exotic vertebrates on anurans. Ecological Applications.10(2): 559-568.

Anholt, B.R., E. Werner & D.K. Skelly (2000). Effect of food and predators on the activity of four larval ranid frogs. Ecology. 81(12): 3509-3521.

Baker, J. (1998). Frog culture and declining wild populations. World Aquaculture.other.29(1): 14-17

Beringer, J. (1995). *Rana catesbeiana* (Bullfrog). Diet. Herpetological Review. 26(2): 98.

Bernardi, L.A. de (no year). Del bañado al criadero. Revista Alimentos Argentions. 12. Available from: http://www.alimentosargentinos.gov.ar/0-3/revistas/r_12/Rana.PDF

Brooks, G. R. Jr. (1964). An analysis of the food habits of the bullfrog, *Rana catesbeiana*, by body size, sex, month and habitat. Va. J. Sci. (new series).15: 173-186.

Bury, R.B. & J.A. Whelan (1984). Ecology and management of the bullfrog. U.S. Fish and Wildlife Service Resource. Publication 155.

Bury, R.B. & R.A. Lunkenbach (1976). Introduced amphibians and reptiles in California. Biological Conservation. 10 (1): 14.

Clarkson, R.W. & J.C. de Vos, jr. (1986). The bullfrog, *Rana catesbeiana* Shaw, in the lower Colorado River, Arizona-California. Journal of Herpetology. 20(1): 42-49.

Corse, W.A. & D.E. Metter (1980). Economics, Adult Feeding and Larval Growth of *Rana catesbeiana* on a Fish Hatchery. Journal of Herpetology. 14(3): 231-238.

Courtois D., R. Leclair jr., S. Lacasse & P. Magnan (1995). Habitats préférentiels d'amphibiens ranidés dans des lacs oligotrophes du Bouclier laurentien, Québec. Canadian Journal of Zoology. 73:1744-1753.

Crayon, J.J. (1998). Natural history notes: *Rana catesbeiana* (Bullfrog). Diet. Herpetological Review. 29(4): 232.

Daza-Vaca, J.D. & F. Castro-Herrera (1999). Habitos alimenticios de la rana toro (*Rana catesbeiana*) Anura: Ranidae, en el Valle del Cauca, Colombia. Rev. Acad. Colomb. Cienc. 23, supplement: 265-274.

Ehrlich, D. (1979). Predation by bullfrog tadpoles (*Rana catesbeiana*) on eggs and newly hatched larvae of the plains leopard frog (*Rana blairi*). Bulletin of the Maryland Herpetological Society. 15: 25-26.

Eklov, P. & E.E. Werner (2000). Multiple predator effects on size-dependent behaviour and mortality of two species of anuran larvae.Oikos. 88(2): 250-258.

Ferrier, W. (1997). Natural History & Captive Care of the American Bullfrog. Reptile & Amphibian Magazine. 51: 38-?.

Faragher, S.G. & R.G. Jaeger (1998). Tadpole bullies: examining mechanisms of competition in a community of larval anurans. Canadian Journal of Zoology. 76: 144-153.

Hammerson, G.A. (1982). Bullfrog eliminating leopard frogs in Colorado? Herpetological Review.13(4): 115-116.

Hardouin, J. (1997). Elevage commercial de grenouilles en Malaisie.Tropicultura.15(4): 209-213.

Hayes, M. P & M. R. Jennings (1986). Decline of ranid frog species in Western North America: are bullfrogs (*Rana catesbeiana*) responsible? Journal of Herpetology. 20: 490-509.

Hecnar, S.J. & R.T. M'Closkey (1997). Changes in the Composition of a Ranid Frog Community Following Bullfrog Extinction. Am. Midl. Nat. 137(1): 145-150.

Howard, R.D. (1981). Sexual Dimorphism in Bullfrogs. Ecology. 62(2): 303-310.

Instituto Colombiano para el Fomento de la Educación Superior & Ministerio del Medio Ambiente, Colombia (1997). Control de la dispersion de la Rana Toro: memorias del curso-taller. Capacitación para Profesionales del Sector Ambiental FORAMBIENTE. Memorias 13. Ministerio del Medio Ambiente, ICFES.

Kiesecker, J. M. & A.R. Blaustein (1997). Population differences in responses or red-legged frogs (*Rana aurora*) to introduced bullfrogs. Ecology. 78(6): 1752-1760.

Kiesecker, J.M. & A.R. Blaustein (1998). Effects of Introduced Bullfrogs and Smallmouth Bass on Microhabitat Use, Growth, and Survival of Native Red-Legged Frogs (*Rana aurora*). Conservation biology. 12(4): 776-787.

Kiesecker, J.M., A.R. Blaustein & C.L. Miller (2001). Potential mechanisms underlying the displacement of native red-legged frogs by introduced bullfrogs. 82(7): 1964-1970.

Kruse, K.C. & M.G. Francis (1977). A predation deterrent in the larvae of the bullfrog, *Rana catesbeiana*. Transactions of the American Fisheries Society.106: 248-252.

Kupferberg, S.J. (1994). Exotic Larval Bullfrogs (*Rana catesbeiana*) As Prey For Native Garter Snakes: Functional And Conservation Implications. Herpetological Review. 25(3): 95-97.

Kupferberg, S.J. (1997). Bullfrog (*Rana catesbeiana*) invasion of a California river: The role of larval competition. 78(6): 1736-1751.

Lannoo, M.J.& K. Lang, T. Waltz & G.S. Phillips (1994). An altered amphibian assemblage: Dickinson County, Iowa, 70 years after Frank Blanchard's survey. Am. Midl. Nat.131(2): 311-319.

Lawler, S.P., D. Dritz, T. Strange & M. Holyoak (1999). Effects of introduced mosquitofish and bullfrogs on the threatened California red-legged frog. Conservation biology. 13(3): 613-622.

Mazzoni, R., A.A.Cunningham, P. Daszak, A. Apolo, E. Perdomo & G. Speranza (2003). Emerging Pathogen of Wild Amphibians in Frog (*Rana catesbeiana*) Farmed for International Trade. Current Issue. 9(8). Available from: www.cdc.gov/ncidod/EID/vol9no8/03-0030.htm

McIntyre, P.B. & S.A. McCollum (2000). Responses of bullfrog tadpoles to hypoxia and predators. Oecologia. 125: 301-308.

Moyle, P.B. (1973). Effects of introduced bullfrogs on the native frogs of the San Joaquin Valley, California. Copeia.1: 18-22.

Rueda-Almonacid, J. V. (2000). Status and threats produced by the introduction of the bullfrog in Columbia. Revista de la academia Colombiana de ciencias exactas fisicas y naturales.23, supplement: 367-393.

Ryan, M.J. (1980). The reproductive behaviour of the bullfrog (*Rana catesbeiana*).Copeia.108-114.

Schwalbe, C.R. & R.C. Rosen (1988). Preliminary report on effect of bullfrogs on wetland herpetofaunas in southeastern Arizona. p. 166-173. In: Management of amphibians, reptiles, and small mammals in North America. Proceedings of the symposium. General technical report RM-166. U.S. Forest Service, Fort Collins, Colorado.

Smith, G.R., J.E. Rettig, G.G. Mittelbach, J.L. Valiulis & S.R. Schaack (1999). The effects of fish on assemblages of amphibians in ponds: a field experiment. Freshwater Biology. 41: 829-837.

Stinner, J. & N. Zarlinga, S. Orcutt (1994). Overwintering behaviour of adult bullfrogs, *Rana catesbeiana*, in norteastern Ohio.Ohio J. Sci. 94(1): 8-13.

Stuart, J.N. (1993). Life history notes: *Rana catesbeiana* (Bullfrog): Cannibalism. Herpetological Review. 24 (3) 103.

Ultsch, G.R., S.A. Reese, M. Nie, J.D. Crim, W.H. Smith & C.M. LeBerte (1999). Influences of temperature and oxygen upon habitat selection by bullfrog tadpoles and three species of freshwater fishes in two Alabama strip mine ponds. Hydrobiologia. 416:149-162.

Veith, M., J. Kosuch, R. Feldmann, H, Martens & A. Seitz (2000). A test for correct species declaration of frog legs imports from Indonesia to the European Union. Biodiversity and Conservation. 9:333-341.

Wassersug, R.J.(1997). Assessing and controlling amphibian populations from the larval perspective. Herpetological Conservation.1: 271-281.

Werner E.E. & Antholt B.R. (1996). Predator - induced behavioural indirect effects: Consequences to competitive interactions in anuran larvae. Ecology. 77(1): 157-169.

Werner, E.E. & M.A. McPeek (1994). Direct and indirect effects of predators on two anuran species along an environmental gradient. Ecology. 75(5): 1368-1382.

Werner, E.E., G.A. Wellborn & M.A. McPeek (1995). Diet Composition in Postmetamorphic Bullfrogs and Green Frogs: Implications for Interspecific Predation and Competition. Journal of Herpetology. 29(4): 600-607.

Zampella, R.A. & J.F. Bunnell (2000). The Distribution of Anurans in Two River Systems of a Coastal Plain Watershed. Journal of Herpetology: 34(2): 210-221.